


AMENDMENTS TO THE CLAIMS


This listing of claims will replace all prior versions and listings of claims in the application:

LISTING OF CLAIMS:

1. (currently amended): A thienopyrimidine ~~or thienopyridine derivative compound~~ substituted with a cyclic amino group represented by the following formula [I]:



(wherein the cyclic amino group is represented by the following formula [II]):



in which the cyclic amino group is a 3- to 8-membered saturated cyclic amine or a 3- to 8-membered saturated cyclic amine bridged with C_{1-5} alkylene or C_{1-4} alkylene-O- C_{1-4} alkylene between any different two carbon atoms of the cyclic amine, which cyclic amine is substituted with a group represented by $-(CR^1R^2)_m-(CHR^3)_n-X$, R^4 and R^5 independently on the same or different carbon atoms of the cyclic amine;

X is cyano, or hydroxy, $-CO_2R^8$ ~~or~~ $-CONR^9R^{10}$;

Y is N or CR^{H} ;

R^1 is hydrogen, hydroxy, C_{1-5} alkyl, C_{1-5} alkoxy- C_{1-5} alkyl or hydroxy- C_{1-5} alkyl;

R^2 is hydrogen or C_{1-5} alkyl;

R^3 is hydrogen, cyano, C_{1-5} alkyl, C_{1-5} alkoxy- C_{1-5} alkyl or hydroxy- C_{1-5} alkyl;

m is an integer selected from 0, 1, 2, 3, 4 and 5;

n is 0 or 1;

R^4 is hydrogen, hydroxy, hydroxy- C_{1-5} alkyl, cyano, cyano- C_{1-5} alkyl or C_{1-5} alkyl;

R^5 is hydrogen or C_{1-5} alkyl;

R^6 is hydrogen, C_{1-5} alkyl, C_{3-8} cycloalkyl, C_{3-8} cycloalkyl- C_{1-5} alkyl, hydroxy, C_{1-5} alkoxy, C_{3-8} cycloalkyloxy, halogen, C_{1-5} alkylthio or $-\text{N}(\text{R}^{12})\text{R}^{13}$;

R^7 is hydrogen, halogen, C_{1-5} alkyl, C_{3-8} cycloalkyl, C_{3-8} cycloalkyl- C_{1-5} alkyl, hydroxy, C_{1-5} alkoxy, C_{3-8} cycloalkyloxy, $-\text{N}(\text{R}^{14})\text{R}^{15}$, $-\text{CO}_2\text{R}^{16}$, $-\text{CON}(\text{R}^{17})\text{R}^{18}$, cyano, nitro, C_{1-5} alkylthio, trifluoromethyl or trifluoromethoxy;

Ar is aryl or heteroaryl which aryl or heteroaryl is unsubstituted or substituted with 1 or more substituents, which are the same or different, selected from the group consisting of halogen, C_{1-5} alkyl, C_{3-8} cycloalkyl, C_{2-5} alkenyl, C_{2-5} alkynyl, C_{1-5} alkoxy, C_{1-5} alkylthio, C_{1-5} alkylsulfinyl, C_{1-5} alkylsulfonyl, cyano, nitro, hydroxy, $-\text{CO}_2\text{R}^{19}$, $-\text{C}(=\text{O})\text{R}^{20}$, $-\text{CONR}^{21}\text{R}^{22}$, $-\text{OC}(=\text{O})\text{R}^{23}$, $-\text{NR}^{24}\text{CO}_2\text{R}^{25}$, $-\text{S}(=\text{O})\text{NR}^{26}\text{R}^{27}$, trifluoromethyl, trifluoromethoxy, difluoromethoxy, fluoromethoxy, methylenedioxy, ethylenedioxy and $-\text{N}(\text{R}^{28})\text{R}^{29}$;

R^8 is hydrogen, C_{1-10} alkyl, C_{3-8} cycloalkyl, C_{3-8} cycloalkyl- C_{1-5} alkyl, aryl or aryl- C_{1-5} alkyl;

R^9 and R^{10} are the same or different, and independently are hydrogen, C_{1-5} alkyl, C_{3-8} cycloalkyl, C_{3-8} cycloalkyl- C_{1-5} alkyl, aryl or aryl- C_{1-5} alkyl; or R^9 and R^{10} form a ring selected

~~from saturated 3 to 8 membered ring with the attached nitrogen atom, wherein one of the carbon atoms of such saturated 3 to 8 membered ring is optionally replaced by an oxygen or sulfur atom or by N-Z wherein Z is hydrogen, benzyl or C₁₋₅alkyl;~~

~~R¹⁴ is hydrogen, halogen or C₁₋₅alkyl;~~

~~R¹², R¹³, R¹⁴ and R¹⁵ are the same or different, and independently are hydrogen or C₁₋₅alkyl;~~

~~R¹⁶, R¹⁹ and R²⁵ are the same or different, and independently are hydrogen or C₁₋₅alkyl, C₃₋₈cycloalkyl, C₃₋₈cycloalkyl-C₁₋₅alkyl, aryl or aryl-C₁₋₅alkyl;~~

~~R¹⁷, R¹⁸, R²⁰, R²¹, R²², R²³, R²⁴, R²⁶, R²⁷, R²⁸ and R²⁹ are the same or different, and independently are hydrogen, C₁₋₅alkyl or C₃₋₈cycloalkyl;~~


~~r is 1 or 2)~~

~~, individual isomers thereof or racemic or non-racemic mixtures of isomers thereof,~~

~~pharmaceutically acceptable prodrugs thereof or pharmaceutically acceptable salts and hydrates thereof.~~

2. (canceled)

3. (currently amended): The thienopyrimidine ~~derivative compound~~ substituted with the cyclic amino group according to ~~claim 2~~ claim 1 represented by formula [III],



wherein X is cyano; the cyclic amino group is a 4- to 7-membered saturated cyclic amine; n is 0; m is an integer selected from 0, 1, 2 and 3; R¹, R², R⁴ and R⁵ are hydrogen; R⁶ is C₁₋₅alkyl; R⁷ is hydrogen or C₁₋₅alkyl; and Ar is phenyl which phenyl is substituted with two or three substituents, which are the same or different, selected from the group consisting of halogen, C₁₋₃alkyl, C₁₋₃alkoxy, C₁₋₃alkylthio, trifluoromethyl, trifluoromethoxy and -N(R²⁸)R²⁹ (wherein R²⁸ and R²⁹ are the same or different, and independently are hydrogen or C₁₋₃alkyl), ~~individual isomers thereof or racemic or non-racemic mixtures of isomers thereof~~, or pharmaceutically acceptable salts and ~~hydrates thereof~~.

4. (currently amended): The thienopyrimidine ~~derivative compound~~ substituted with the cyclic amino group according to ~~claim 2~~claim 3 represented by formula [III], wherein X is cyano; the cyclic amino group is a 6-membered saturated cyclic amine; n is 0; m is 0 or 1; R¹, R², R⁴ and R⁵ are hydrogen; R⁶ is C₁₋₅alkyl; R⁷ is hydrogen or C₁₋₅alkyl; and Ar is phenyl which phenyl is substituted with two or three substituents, which are the same or different, selected from the group consisting of halogen and C₁₋₃alkyl, ~~individual isomers thereof or racemic or non-racemic mixtures of isomers thereof~~, or pharmaceutically acceptable salts and ~~hydrates thereof~~.

5. (currently amended): The thienopyrimidine ~~derivative compound~~ substituted with the cyclic amino group according to ~~claim 2~~claim 3 represented by formula [III], wherein X is hydroxy; the cyclic amino group is a 4- to 7-membered saturated cyclic amine; n is 0; m is an integer selected from 1, 2 and 3; R¹, R², R⁴ and R⁵ are hydrogen; R⁶ is C₁₋₅alkyl; R⁷ is hydrogen or C₁₋₅alkyl; and Ar is phenyl which phenyl is substituted with two or three substituents, which are the same or different, selected from the group consisting of halogen, C₁₋₃alkyl, C₁₋₃alkoxy, C₁₋₃alkylthio,

trifluoromethyl, trifluoromethoxy and $-N(R^{28})R^{29}$ (wherein R^{28} and R^{29} are the same or different, and independently are hydrogen or C_{1-3} alkyl), ~~individual isomers thereof or racemic or non-racemic mixtures of isomers thereof~~, or pharmaceutically acceptable salts and hydrates thereof.

6. (currently amended): The thienopyrimidine ~~derivative~~ compound substituted with the cyclic amino group according to ~~claim 2~~ claim 3 represented by formula [III], wherein X is hydroxy; the cyclic amino group is a 6-membered saturated cyclic amine; n is 0; m is an integer selected from 1, 2 and 3; R^1 , R^2 , R^4 and R^5 are hydrogen; R^6 is C_{1-5} alkyl; R^7 is hydrogen or C_{1-5} alkyl; and Ar is phenyl which phenyl is substituted with two or three substituents, which are the same or different, selected from the group consisting of halogen and C_{1-3} alkyl, ~~individual isomers thereof or racemic or non-racemic mixtures of isomers thereof~~, or pharmaceutically acceptable salts and hydrates thereof.

7.-15. (canceled)

16. (currently amended): A compound ~~Compounds~~ represented by formula [I] according to claim 1, which ~~compounds are~~ is selected from the group consisting of

{1-[7-(4-Bromo-2,6-dimethyl-phenyl)-2-methyl-thieno[3,2-d]pyrimidin-4-yl]-piperidin-4-yl}-methanol,

{1-[7-(4-bromo-2,6-dimethyl-phenyl)-2,6-dimethyl-thieno[3,2-d]pyrimidin-4-yl]-piperidin-4-yl}-methanol,

2-{1-[7-(4-bromo-2,6-dimethyl-phenyl)-2,6-dimethyl-thieno[3,2-d]pyrimidin-4-yl]-piperidin-4-yl}-ethanol, and

{1-[7-(4-bromo-2,6-dimethyl-phenyl)-2,6-dimethyl-thieno[3,2-d]pyrimidin-4-yl]-piperidin-4-yl}-acetonitrile,

~~{1-[3-(2,4-dichloro-phenyl)-5-methyl-thieno[3,2-b]pyridin-7-yl]-piperidin-4-yl}-methanol,~~

~~{1-[5-methyl-3-(2,4,6-trimethyl-phenyl)-thieno[3,2-b]pyridin-7-yl]-piperidin-4-yl}-methanol,~~

~~{1-[3-(4-bromo-2,6-dimethyl-phenyl)-5-methyl-thieno[3,2-b]pyridin-7-yl]-piperidin-4-yl}-methanol,~~

~~{1-[3-(4-bromo-2,6-dimethyl-phenyl)-2,5-dimethyl-thieno[3,2-b]pyridin-7-yl]-piperidin-4-yl}-methanol,~~

~~{1-[3-(2,4-dibromo-phenyl)-5-methyl-thieno[3,2-b]pyridin-7-yl]-piperidin-4-yl}-methanol,~~

~~{1-[5-methyl-3-(2,4,6-trichloro-phenyl)-thieno[3,2-b]pyridin-7-yl]-piperidin-4-yl}-methanol,~~

~~2-{1-[3-(4-bromo-2,6-dimethyl-phenyl)-5-methyl-thieno[3,2-b]pyridin-7-yl]-piperidin-4-yl}-ethanol,~~

~~2-{1-[3-(4-bromo-2,6-dimethyl-phenyl)-2,5-dimethyl-thieno[3,2-b]pyridin-7-yl]-piperidin-4-yl}-ethanol,~~

~~2-{1-[3-(2,4-dibromo-phenyl)-5-methyl-thieno[3,2-b]pyridin-7-yl]-piperidin-4-yl}-ethanol,~~

~~2-{1-[5-methyl-3-(2,4,6-trichloro-phenyl)-thieno[3,2-b]pyridin-7-yl]-piperidin-4-yl}-ethanol,~~

~~1-[5-methyl-3-(2,4,6-trimethyl-phenyl)-thieno[3,2-b]pyridin-7-yl]-piperidine-3-carbonitrile,~~

~~{1-[3-(4-bromo-2,6-dimethyl-phenyl)-5-methyl-thieno[3,2-b]pyridin-7-yl]-piperidin-4-yl}-acetonitrile,~~

~~{1-[3-(4-bromo-2,6-dimethyl-phenyl)-2,5-dimethyl-thieno[3,2-b]pyridin-7-yl]-piperidin-4-yl}-acetonitrile,~~

~~{1-[3-(2,4-dibromo-phenyl)-5-methyl-thieno[3,2-b]pyridin-7-yl]-piperidin-4-yl}-acetonitrile~~

~~and {1-[5-methyl-3-(2,4,6-trichloro-phenyl)-thieno[3,2-b]pyridin-7-yl]-piperidin-4-yl}-acetonitrile.~~

17. (currently amended): An antagonist for CRF receptors~~A composition~~, comprising a thienopyrimidine ~~or thienopyridine derivative~~compound substituted with a cyclic amino group, or a pharmaceutically acceptable salt thereof ~~or its hydrate~~ according to claim 1, as an active ingredient and a pharmaceutically acceptable carrier.

18. (canceled).